

Ship Nov. 18

Work Order ID 152545

152545

Page 1

Friday, October 28, 2016 8:59:51 AM

Item ID: D4882-041 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: 206A/B Leg Assembly LH
 Start Date: 11/7/2016 Start Qty: 2.00 *2* Cust Item ID:
 Required Date: 11/15/2016 Req'd Qty: 2.00 *2* Customer:
 Reference:

Approvals: Process Plan:  Date: 16-10-28 Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4882	C								

110 0.00
 110
 Small Fab
 Small Fab
 Memo 0.20
 ALIGN PILOT HOLES IN D4882-1 WITH PILOT HOLES IN D4883-3 AND D4884-1. DRILL OUT EACH HOLES USING A PILOTED DRILL AS PER DWG.
 REAM EACH HOLES USING REAMER, USING DART TOOL SETUP DT9975 AS PER DWG.
 2 FF NOV 29 2016

120 0.00
 120
 QC
 Quality Control
 QC5- Inspect part completeness to step on W/O 0.01
 Memo 0.01
 2 DAS 38 9-89 NOV 29 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval 	
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By _____ Lead hand / Supervisor Approval Verification _____ QC / QA Coordinator Approval _____	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : _____							

Work Order ID 152545

Friday, October 28, 2016 8:59:51 AM

152545

Page 3

Item ID: D4882-041**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** 206A/B Leg Assembly LH**Start Date:** 11/7/2016 **Start Qty:** 2.00***2*****Cust Item ID:****Required Date:** 11/15/2016 **Req'd Qty:** 2.00***2*****Customer:****Reference:****Approvals:****Process Plan:** _____**Date:** _____**Tooling:** _____**Date:** _____**Run Start*****NR1*****QC:** _____**Date:** _____**SPC (Y/N):** _____**Date:** _____**Stop*****NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Receive & Inspect for Damage & Mat'l Certs	0.00							
160									
Packaging	Memo	0.01							
Packaging									
170	QC5- Inspect part completeness to step on W/O	0.00							
170									
QC	Memo	0.01							
Quality Control									
180	Identify as per dwg & Stock Location: <u>SEBWA</u>	0.00							
180									
Packaging	Memo	0.00							
Packaging									

2x SP/6-12-22DAS
38
9-89

DEC 05 2016

2DAS
6
9-89

DEC 05 2016

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
24-3 25-2 26-2				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

Work Order ID 152545

Friday, October 28, 2016 8:59:51 AM

152545

Page 4

Item ID: D4882-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: 206A/B Leg Assembly LH
Start Date: 11/7/2016 Start Qty: 2.00 ***2*** Cust Item ID:
Required Date: 11/15/2016 Req'd Qty: 2.00 ***2*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC21- Final Inspection - Work Order Release	0.00							
190									
QC	Memo	0.03							
Quality Control									

16/12/16
ME
16-12-06

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐							
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval			
Description Work Order Deviation				Disposition							
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐		☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due		☐ Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter		FAULT CATEGORY ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes		☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center		☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence	
				☐ OTHER : _____							

Picklist Print

Friday, October 28, 2016 8:59:57 AM

Page 1

Work Order ID: 152545

152545

Parent Item: D4882-041

D4882-041

Parent Item Name: 206A/B Leg Assembly LH

Start Date: 11/7/2016

Required Date: 11/15/2016

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP REV:A 13.12.17 NEW ISSUE DD VERF:JLM IPP
REV:B 14.07.07 AS PER DWG REV.C DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
HL32PB5-12		Purchased	No				Each	115.0000		8	DAS 30 9-89		
HI 32PR5-12									**				NOV 29 2016
Hi-Lok Pin													

Location

Loc Qty

Loc Code

Mezz

115

B136096 ②

M129912

115

D4882-1

Manufactured

No

Each

2.0000

2

D4882-1

Strut

DAS
30
9-89

NOV 29 2016

Location

Loc Qty

Loc Code

ST133

2

B153143 ②

124004

2

D4883-3

Manufactured

No

Each

1.0000

2

D4883-3

End Fitting

DAS
30
9-89

NOV 29 2016

Location

Loc Qty

Loc Code

ST134

1

B152525 ②

121944

1

D4884-1

Manufactured

No

Each

12.0000

2

D4884-1

End Fitting, Eye

DAS
30
9-89

NOV 29 2016

Location

Loc Qty

Loc Code

ST134

12

B152652 ②

121554

2

124005

10

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
08 28-2 246 08 28-6				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____	

Picklist Print

Page 2

Friday, October 28, 2016 8:59:57 AM

Work Order ID: 152545

152545

Parent Item: D4882-041

D4882-041

Parent Item Name: 206A/B Leg Assembly LH

Start Date: 11/7/2016

Required Date: 11/15/2016

Start Qty: 2.00

Required Qty: 2.00

HL86-5

Purchased

No

Each

536.0000

8

DAS

HI 86-5

30

NOV 29 2016

Hi-Lok Collar

9-89

Location

Loc Qty

Loc Code

ST562

536

M129022

200

M129864

336

78

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE




QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

ITEM	QTY. -041	P/N	DESCRIPTION
1	X	D4882-041	LEG ASSEMBLY, LH
2	1	D4882-1	STRUT
3	1	D4883-3	END FITTING
4	1	D4884-1	END FITTING, EYE
5	4	HL32PB5-12	HI-LOK PIN
6	4	HL86-5	HI-LOK COLLAR



D4882-041 LEG ASSEMBLY, LH
(EQUIVALENT TO BELL P/N 206-062-102-013)



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.8
- 7) WEIGHT: 0.57 lbs
- 8) ALIGN PILOT HOLES IN D4882-1 WITH PILOT HOLES IN D4883-3 & D4884-1.
DRILL OUT EACH HOLE USING A P/N 13-SB65 (0.125) PILOTED DRILL.
REAM EACH HOLE USING P/N 31-219 (Ø0.1610) REAMER, USING DART TOOL SETUP DT9975
- 9) INSTALL PIN/COLLAR AND END FITTING WITH HYSOL EA934NA OR MAGNOBOND 6398 ADHESIVE WHILE STILL WET
- 10) ASSEMBLE PER DART TOOL DT9975
- 11) INSTALL HL32PB5-12 HI-LOK IN ORIENTATION SHOWN


RELEASED
2014-07-07

C	HL32PB5-12 WAS HL20PB5-12 (ZN D4-1, D4-3); REVISE NOTE 6) (ZN A8-5). ADD LHRH (ZN B4-1, B4-2, B4-3, B4-4)	RF	14.06.24
B	REVISE NOTES 6), 7) & 9) (ZN A8-1); REVISE SECTIONS A-A, B-B (ZN B2-2, B3-2); ADDED -042 (ZN B4-3, A4-4); ADDED BELL PIN	RF	14.04.08
A	NEW ISSUE	RF	13.09.16
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D4882 LEG ASSEMBLY COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	
DRAWN	VS		
CHECKED	HS		
MFG. APPR.	JFS		
APPROVED	HS		
DE APPR.	DS	REV. C SHEET 1 OF 5 SCALE NTS	
DATE	14.06.24		


APPROVED



D4882-041 LEG ASSEMBLY, LH
AUXILIARY VIEW



SECTION A-A C7-2
2 PL




SECTION B-B C7-2
2 PL

RELEASED
2014-07-07
[Signature]

APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	HS	DRAWING NO.	REV. C
MFG. APPR.	JFS	D4882	SHEET 2 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	LEG ASSEMBLY	NTS
DATE	14.06.24	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -042	P/N	DESCRIPTION
1	X	D4882-042	LEG ASSEMBLY, RH
2	1	D4882-1	STRUT
3	1	D4883-3	END FITTING
4	1	D4884-1	END FITTING, EYE
5	4	HL32PB5-12	HI-LOK PIN
6	4	HL86-5	HI-LOK COLLAR



D4882-042 LEG ASSEMBLY, RH
(EQUIVALENT TO BELL P/N 206-062-102-013)



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.8
- 7) WEIGHT: 0.57 lbs
- 8) ALIGN PILOT HOLES IN D4882-1 WITH PILOT HOLES IN D4883-3 & D4884-1.
DRILL OUT EACH HOLE USING A P/N 13-SB65 (0.125) PILOTED DRILL.
REAM EACH HOLE USING P/N 31-219 (Ø 0.1610) REAMER, USING DART TOOL SETUP DT9975
- 9) INSTALL PIN/COLLAR AND END FITTING WITH HYSOL EA934NA OR MAGNOBOND 6398 ADHESIVE WHILE STILL WET
- 10) ASSEMBLE PER DART TOOL DT9975
- 11) INSTALL HL32PB5-12 HI-LOK IN ORIENTATION SHOWN


APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	HS	DRAWING NO.	REV. C
MFG. APPR.	JFS	D4882	SHEET 3 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	LEG ASSEMBLY	NTS
DATE	14.06.24	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	


RELEASED
2014-07-07



D4882-042 LEG ASSEMBLY, RH
AUXILIARY VIEW



SECTION C-C C7-4
2 PL




SECTION D-D C7-4
2 PL


RELEASED
2014-07-07

APPROVED


DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	HS	DRAWING NO. D4882	REV. C
MFG. APPR.	JFS	SHEET 4 OF 5	
APPROVED	HS	TITLE	SCALE
DE APPR.	D5	LEG ASSEMBLY	NTS
DATE	14.06.24	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	




SECTION G-G B4-5



D4882-1 STRUT



SECTION E-E C4-5



SECTION F-F C4-5

RELEASED
2014-07-07
WJ

NOTES:

- 1) MATERIAL: 17-4 PH/S17400/TYPE 630 SS ROUND BAR, H900 CONDITION
PER AMS 5643/ASTM A564
DART SPEC M17-4-R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.6
- 7) WEIGHT: 0.15 lbs
- 8) LIQUID PENETRANT INSPECT PER QSI 038 6.1.1 (ASTM E1417 LEVEL 2)



APPROVED

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	VS		
CHECKED	HS	DRAWING NO.	REV. C
MFG. APPR.	JFS	D4882	SHEET 5 OF 5
APPROVED	HS	TITLE	SCALE
DE APPR.	D9	LEG ASSEMBLY	NTS
DATE	14.06.24	COPYRIGHT © 2013 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO34468

Purchase Order Date 11/29/2016

PO Print Date 12/1/2016

Page Number 1 of 2

Order From :

VC-PL001

P & L PRINTING
19226 AIRPORT ROAD
SUMMERSTOWN, ONTARIO K0C 2E0
CANADA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED

DEC 01 2016

Contact Name

Vendor Phone 613-931-1241

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
2	153598	D4882-042 LEG ASSEMBLY	12/2/2016 Yes 12/2/2016		3.00	\$4.00	\$12.00
	ENGRAVE PART # D4882-042						
						Line Total:	\$12.00
3	152545	D4882-041 LEG ASSEMBLY	12/2/2016 Yes 12/2/2016		2.00	\$4.00	\$8.00
	ENGRAVE PART # D4882-041						
						Line Total:	\$8.00

Note:

12/1/2016



19226 Airport Road
Summerstown, ON
K0C 2E0 Canada

Tel. 613-931-1241
Fax 613-931-2560
plprinting@bellnet.ca

PACKING SLIP

SOLD TO

DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

SHIPPED TO

DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

DATE November 30, 2016

P.O NUMBER PO34468

ITEM DESCRIPTION**QUANTITY****COMMENTS**

D4882-042 LEG ASSEMBLY ✓

3

D4882-041 LEG ASSEMBLY

2

ALL ITEMS HAVE BEEN LASER MARKED

Sp/6-12-2.



19226 Airport Road
Summerstown, ON
K0C 2E0
plprinting@bellnet.ca

Tel.: 613 931-1241
Fax: 613 931-2560

www.plprinting.ca

Invoice

Number: 8806

Date: November 30, 2016

Bill To:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7

Ship To:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7

PO Number	Terms	Ship Via
34468		

Description	Quantity	Price	HST	Amount
Laser Metal Marking, D4882-042	3.00	4.00	✓	12.00
Laser Metal Marking, D4882-041 ✓	2.00	4.00	✓	8.00
2016-12-2				
Sub-Total				\$20.00
13.00% on 20.00				2.60
Total				\$22.60

We do more than just print on paper!

*Whatever we make, we make it the best we possibly can.
We make it as good as if we were going to keep it for ourselves.*

H.S.T. No. 13301 4258

2% INTEREST CHARGED ON OVERDUE ACCOUNTS
PAY BY INVOICE NO STATEMENT WILL BE ISSUED

Thank You